



www.rubbermat.com

*Just Like a
Natural Meadow*





Established in 2019, **RubbMat** is India's premier manufacturer and exporter of rubber mats. We are a team of visionaries who view a rubber mat not just for what it is, but for what it can become. Consequently, we have evolved to embody the endless possibilities in rubber matting.

At **RubbMat**, rubber mats are our flagship product, and as pioneers in advanced manufacturing techniques, we are the undisputed leaders and innovators in this category. Our state-of-the-art facilities in Kerala and Gujarat produce top-quality rubber mats for various applications, including use in cow barns, horse stables, gyms, restaurants, industrial settings, and homes.

India's Leading Manufacturer and Exporter of Rubber Mats

Over the years, our commitment to innovation and sustainability has become the foundation of everything we do. Crafted with the highest quality materials, our rubber mats are known for their durability and eco-friendliness.

Our expert teams in Product Development, Export Management, and Quality Control ensure constant innovation, smooth global supply, and top-tier product standards – forming the backbone of RubbMat's global reliability and leadership in rubber mat culture.

With a strong distribution and supply network, **RubbMat** proudly exports to every continent, partnering with businesses and institutions across the globe.

WHERE
comfort
REIGNS

Quality Control



To ensure consistent quality and durability, we utilize a comprehensive range of testing equipment, such as universal testing machines for strength assessments, thickness measurement devices for precision, hardness testers to guarantee material resilience, and thorough visual inspection systems to uphold the highest quality standards

Infrastructure

Thanks to the advanced and fully automated technology utilized in our plants, our high-capacity rubber mat manufacturing is aligned with international standards. Our plants are equipped with state-of-the-art machines, including high-efficiency hydraulic presses and specialized rubber mat production lines.



Benefits & Features



Safety First

Slip-resistant surfaces help reduce the risk of falls in both dry and wet conditions, ensuring safer environments for people, equipment, and animals



Comfort & Ergonomics

Our rubber mats are designed to provide cushioning and fatigue relief, making them ideal for long-standing tasks & high-footfall areas.



Built to Last

Manufactured using premium -grade rubber, RubbMat products are tough, flexible, & resilient ready to handle pressure, impact, & harsh environments.



Low Maintenance

Easy-to-clean surfaces resist stains, moisture, and chemicals, helping maintain hygiene with minimal effort.

WHERE COMFORT REIGNS



Versatile Applications

Suitable for a wide variety of uses – including commercial, agricultural, industrial, recreational, and residential spaces.



Noise & Vibration Absorption

Helps reduce floor impact noise and vibration, improving acoustic comfort in busy environments.



Eco-Friendly Manufacturing

Many of our products are made from recycled rubber, contributing to a sustainable and responsible product lifecycle.




Custom Sizes Available


We offer flexibility in dimensions, thickness, and patterns to meet diverse application needs



RubbMat | One Brand Endless Utility



Pool Mat




Entrance Mat



Restaurant Mat



Play Ground Mat




Cow Mat




Horse Mat



Industrial Mat




Anti Fatigue Mat



Gym Mat



Rubber Rolls



Livestock Mats



RubbMat
WHERE COMFORT REIGNS

Straight Edge Mats

The slip-resistant top layer offers superior traction and comfort for livestock, even in wet conditions, supporting a natural and secure walking motion. Engineered grooves beneath the mat allow efficient drainage of urine and wash water.

Sizes	Thickness
6 ft x 4 ft	17 mm
6.5 ft x 4 ft	17 mm
7 ft x 4 ft	17 mm

TECHNICAL SPECIFICATION



Material Composition
A mix of natural rubber & recycled rubber.



Surface Finish
Diamond, Bubble, Hammer & Amoeba Top with Groovy Bottom



Product Thickness
12 mm & 17 mm



Utility Area
Livestock stables / Stalls,
Cow Cubicles, Dairy Parlors



Available Surfaces

Bubble



Amoeba



Hammer



Interlocking Mats

The interlocking design ensures a seamless and stable surface that stays firmly in place, even under heavy livestock movement. The textured, slip-resistant top provides excellent traction and walking comfort, helping cows and horses move confidently even in wet or messy conditions.

Sizes	Thickness
6 ft x 4 ft	17 mm

TECHNICAL SPECIFICATION



Material Composition
A mix of natural rubber & recycled rubber.



Surface Finish
Diamond, Bubble, Hammer & Amoeba Top with Groovy Bottom



Product Thickness
17 mm



Utility Area
Livestock Walkways,
Crossover Alleys,
Stable Entrances



Available Surfaces

Diamond



Amoeba



Hammer





Livestock Mats

Stable Mats

The stable mat is designed to provide a cushioned, non-slip surface that supports the health and comfort of livestock while standing or lying down. Its dense rubber structure helps insulate against cold floors and reduces joint strain, promoting better rest and overall well-being.

Sizes	Thickness
6 ft x 4 ft	17 mm

TECHNICAL SPECIFICATION



Material Composition
A mix of natural rubber & recycled rubber.



Surface Finish
Diamond, Bubble, Hammer & Amoeba Top with Groovy Bottom



Product Thickness
17 mm



Utility Area
Stable / Stall Floors, Animal Walkways, Aisle Ways



Bubble



Amoeba



Diamond



Puzzle Livestock Mats

Sizes	Thickness
6 ft x 4 ft	17 mm

The puzzle-style livestock mat features interlocking edges on all four sides, ensuring a tight, secure fit that prevents movement and eliminates gaps between mats. This design creates a seamless, stable surface ideal for high-traffic livestock areas.

TECHNICAL SPECIFICATION



Material Composition
A mix of natural rubber & recycled rubber.



Surface Finish
Diamond, Bubble, Hammer & Amoeba Top with Groovy Bottom



Product Thickness
17 mm



Utility Area
Stable / Stall Floors, Animal Walkways, Aisle Ways



Available Surfaces

Bubble



Amoeba



Hammer



Special Livestock Mats

Sizes	Thickness
6 ft x 4 ft	24 mm

Special livestock mats are made with added thickness and a unique hollow or honeycomb bottom for enhanced shock absorption, insulation, and comfort. The raised cushioning eases joint pressure and muscle strain, helping reduce fatigue in animals that stand for long periods.

TECHNICAL SPECIFICATION



Material Composition
A mix of natural rubber & recycled rubber.



Surface Finish
Hammer & Diamond Top with Honeycomb Bottom



Product Thickness
24 mm




Utility Area
Cow Cubical, Stable and Stall Floors



Diamond





RubbMat
WHERE COMFORT REIGNS

RubbMat
WHERE COMFORT REIGNS

RubbMat
WHERE COMFORT REIGNS

RubbMat
WHERE COMFORT REIGNS

RubbMat
WHERE COMFORT REIGNS

**Gym
Mats**

RubbMat
WHERE COMFORT REIGN

RubbMat
WHERE COMFORT REIGNS

Interlocking Gym Mats

Sizes	Thickness
1 m x 1 m	15 mm

Interlocking Gym Mats feature a smooth amoebic surface that offers a firm yet comfortable grip for various fitness activities. The interlocking edges ensure a secure, seamless fit, ideal for covering large workout areas without shifting. Durable and easy to maintain, they're perfect for gyms, fitness studios, and home workout zones.

TECHNICAL SPECIFICATION



Material Composition
A mix of natural rubber & recycled rubber.



Surface Finish
Amoeba design with grooved bottom



Product Thickness
15 mm



Utility Area
Gymnasiums, Fitness centres, home gyms, Industrial Floors



Solid Top Gym Mats

Sizes	Thickness
91 cm x 91 cm	14 mm

Solid Top Gym Mats offer a tough, non-slip flooring solution designed to withstand heavy use in fitness environments. The button-lock system and convenient size make installation, cleaning, and upkeep quick and hassle-free. Crafted from resilient rubber, these mats provide cushioning that absorbs impact and helps reduce muscle fatigue during workouts

TECHNICAL SPECIFICATION



Material Composition
A mix of natural rubber & recycled rubber.




Surface Finish
Checker plate, Bubble & Solid Top



Product Thickness
14 mm



Utility Area
Gymnasiums, Multiple purpose use



Available Surfaces

Checked Top



Bubble Top



RubbMat
WHERE COMFORT REIGNS



RubbMat
WHERE COMFORT REIGNS

Standard Rubber Tiles

Standard Rubber Tiles with straight edges provide a seamless, robust flooring option for gyms, fitness centres, and other high-traffic areas. Crafted from premium SBR rubber, these tiles offer superior durability, shock resistance, and a stable, non-slip surface. Their straight forward installation and easy maintenance make them an ideal choice for both functionality & style.

Sizes	Thickness
50 cm x 50 cm	10 mm, 15 mm, 20 mm, 25 mm
100 cm x 100 cm	10 mm, 15 mm, 20 mm, 25 mm

TECHNICAL SPECIFICATION



Material Composition
A mix of SBR & recycled rubber



Product Thickness
10 mm, 15 mm, 20 mm, 25 mm



Utility Area
Gymnasiums, Fitness centres, Horse Floors




Surface Finish
Anti Slip Surface



Available Colours



EPDM Surfaces



Interlocking Rubber Tiles

SBR Standard Rubber Tiles with interlocking edges ensure a secure, gap-free fit for gym & fitness flooring. Designed from durable SBR rubber, these tiles provide excellent shock absorption, slip resistance, & long-lasting performance. Their easy interlocking system allows quick installation & flexibility, perfect for creating a sturdy and safe workout environment.

Sizes	Thickness
48 cm x 48 cm	15 mm, 20 mm, 25 mm
100 cm x 100 cm	15 mm, 20 mm, 25 mm

TECHNICAL SPECIFICATION



Material Composition
A mix of SBR & recycled rubber



Product Thickness
15 mm, 20 mm, 25 mm



Utility Area
Gymnasiums, Fitness centres, Horse Floors




Surface Finish
Anti Slip Surface



Available Colours



EPDM Surfaces





Gym Rolls

EPDM Rubber Rolls

Gym Rubber Rolls combine strength and flexibility to deliver an efficient flooring solution for fitness centres and gyms. Designed for durability, these rolls offer excellent impact resistance, anti-slip protection, and smooth, continuous surface. Easy to roll out and maintain, they're ideal for covering large areas with professional-grade performance.

Sizes	Thickness
1 m x 5 m	3 mm, 6 mm, 8 mm, 10 mm



TECHNICAL SPECIFICATION



Material Composition
A mix of SBR & recycled rubber.



Surface Finish
Anti Slip Surface



Product Thickness
3 mm, 6 mm, 8 mm, 10 mm



Utility Area
Gymnasiums, Fitness centres



RubbMat
WHERE COMFORT REIGNS




RubbMat
WHERE COMFORT REIGNS


EPDM Surfaces




White




Blue



Yellow



Red



Green



***Restaurant Mats
Industrial Mats
Anti Fatigue Mats***

Anti-Fatigue Ramp Mats

The Rubber Anti-Fatigue Ramp Mat is a durable and ergonomic solution designed to alleviate discomfort for individuals who stand for extended periods. Its cushioned surface reduces strain on feet, legs, and back, promoting better posture and circulation. The bevelled edges ensure a smooth transition on and off the mat, minimizing tripping hazards

Sizes	Thickness
60 cm x 90 cm	12 mm
90 cm x 90 cm	12 mm
80 cm x 120 cm	12 mm
90 cm x 150 cm	12 mm

TECHNICAL SPECIFICATION

- **Material Composition**
A mix of natural rubber & recycled rubber
- **Surface Finish**
Raised circular surface with drainage holes
- **Product Thickness**
12 mm
- **Utility Area**
Industrial floors, Ramps, Restaurants, Kitchens & Heavy traffic areas




Scraper Mats / Door Entrance Mats

Hollow Scraper Mats are heavy-duty rubber mats designed to scrape off dirt, mud, and debris from footwear. Their open structure allows particles to fall through, keeping the surface cleaner and safer. Ideal for entrances, outdoor areas, and industrial settings, they offer reliable traction and easy maintenance.

Sizes	Thickness
40 cm x 60 cm	12 mm , 16 mm , 22 mm
40 cm x 80 cm	16 mm, 22 mm
50 cm x 80 cm	16 mm, 22 mm
50 cm x 100 cm	12 mm, 16 mm, 22 mm
60 cm x 80 cm	16 mm, 22 mm
80 cm x 120 cm	16 mm, 18 mm, 22 mm

TECHNICAL SPECIFICATION

- **Material Composition**
A mix of natural rubber & recycled rubber
- **Surface Finish**
Hollow/Ring Finish
- **Product Thickness**
12 mm, 16 mm, 18 mm, 22 mm
- **Utility Area**
Entrance areas, Industrial floors, Ramps, Restaurants, & Heavy traffic areas



Restaurant Mats

Interlocking rubber mats are built to improve safety, cleanliness, and comfort in kitchen and bar environments. The drainage holes let spills and debris pass through easily, keeping the surface cleaner and drier. Ideal for reducing slip hazards while providing a comfortable standing area for staff.

Sizes	Thickness
91 cm X 91 cm	12 mm
91 cm X 91 cm	14 mm
61 cm X 91 cm	12 mm
91 cm x 152 cm	12 mm

TECHNICAL SPECIFICATION



Material Composition

A mix of natural rubber & recycled rubber



Surface Finish

Octagonal holes with anti-slip pattern




Product Thickness

12 mm, 14 mm



Utility Area

Restaurants, Kitchens, Work stations, Horse Shower Mats



Anti Slip Rubber Mats

Our high-quality Anti-Fatigue Mats are carefully crafted to improve comfort, safety, and ergonomic support in demanding restaurant and industrial settings. They effectively minimize strain and tiredness from extended periods of standing, encouraging healthier posture and improved blood flow.

Sizes	Thickness
90 cm X 150 cm	16 mm
90 cm x 150 cm	18 mm

TECHNICAL SPECIFICATION



Material Composition

A mix of natural rubber & recycled rubber.



Surface Finish

Raised circular surface with drainage holes



Product Thickness

16 mm, 18 mm



Utility Area

Restaurants, Kitchens & Work stations



Industrial Mats

Bubble rubber mats offer a flexible and ergonomic flooring option with a raised bubble-textured surface. Designed to deliver comfort and support, these mats provide excellent cushioning underfoot, making them perfect for workstations and other areas where prolonged standing is required

Sizes	Thickness
60 cm X 90 cm	15 mm
90 cm X 120 cm	15 mm

TECHNICAL SPECIFICATION

-  **Material Composition**
A mix of natural rubber & recycled rubber
-  **Surface Finish**
Bubble surface anti-fatigue pattern
-  **Product Thickness**
15 mm
-  **Utility Area**
Work Place, Sales Points, Assembling areas



Industrial Mats with Yellow Border

The Industrial Bubble Mat with yellow edging features high-visibility molded safety borders along the longer sides, enhancing awareness and reducing trip risks. Its textured bubble surface boosts traction, making it ideal for wet or slippery work environments

Sizes	Thickness
90 cm X 150 cm	15 mm (Yellow)
90 cm x 150 cm	15 mm (Black)

TECHNICAL SPECIFICATION

-  **Material Composition**
A mix of natural rubber & recycled rubber.
-  **Surface Finish**
Bubble surface anti-fatigue pattern
-  **Product Thickness**
15 mm
-  **Utility Area**
Work Place, Sales Points, Assembling areas





Playground Mats



RubbMat
WHERE COMFORT REIGNS

Hollow Playground Mats

Sizes	Thickness
-------	-----------

100 cm X 150 cm	16 mm
100 cm x 150 cm	22 mm

Enhance playground safety and enjoyment with Hollow Rubber Mats, also known as Grass Mats. These tiles offer excellent shock absorption to soften falls and feature superior drainage to help keep surfaces dry and mud-free. The slip-resistant texture ensures stable footing, while the cushioned feel adds comfort for active play.

TECHNICAL SPECIFICATION



Material Composition
A mix of natural rubber & recycled rubber



Surface Finish
Hollow/ Ring finish



Product Thickness
16 mm, 22 mm



Utility Area
Grass Protection, Playground, Entrance Area, Horse Paddock



Octagon Playground Mats

Sizes	Thickness
-------	-----------

100 cm x 150 cm	22 mm
-----------------	-------

Octagon Playground Mats are designed for outdoor play areas, offering a unique shape for easy coverage and creative layouts. Made from durable rubber, they provide excellent impact absorption and drainage to reduce fall injuries and keep surfaces clean. The textured, slip-resistant surface ensures safe footing for children.

TECHNICAL SPECIFICATION



Material Composition
A mix of natural rubber & recycled rubber.



Surface Finish
Octagonal Holes



Product Thickness
22 mm



Utility Area
Grass Protection, Playground, Entrance Area, Horse Paddock





**Rubber
Rolls**

Hollow Rubber Rolls

Sizes	Thickness
1 m X 7.5 m	22 mm
1 m x 9 m	16 mm

Introducing the Hollow Runner Mat - O-Ring Design, a perfect blend of durability and functionality for your entrance needs. Crafted with high-quality materials, its hollow construction traps dirt and moisture effectively, keeping your floors clean and safe.

TECHNICAL SPECIFICATION



Material Composition

A mix of natural rubber & recycled rubber



Surface Finish

Series of cross-linked rings



Product Thickness

16 mm, 22 mm



Utility Area

Both Indoors & Outdoors –
Entrance, Snow, Skiing areas,
Grass etc



Octagon Rubber Rolls

Sizes	Thickness
1 m X 7.5 m	22 mm

Octagon Rubber Rolls blend innovation, durability, and visual appeal in one smart flooring solution. Expertly crafted, the unique octagon pattern not only adds a modern look but also boosts efficiency in trapping dirt and moisture. Designed for performance and style, they're ideal for high-traffic entryways and commercial spaces.

TECHNICAL SPECIFICATION



Material Composition

A mix of natural rubber & recycled rubber.



Surface Finish

Raised octagon pattern with large holes for drainage



Product Thickness

22 mm



Utility Area

Both Indoors & Outdoors –
Entrance, Snow, Skiing areas,
Grass etc



Bubble Rubber Rolls

Sizes	Thickness
0.9 m x 9 m	15 mm

Bubble rubber rolls offer cushy comfort and safety for industrial settings. These rolls feature a textured bubble surface that reduces fatigue while standing and prevents slips on wet or dry floors

TECHNICAL SPECIFICATION



Material Composition
A mix of natural rubber & recycled rubber



Surface Finish
Uniformly spaced bubble design



Product Thickness
15 mm



Utility Area
Industrial Workspace, Retail Environments, Garage Floors



Multi-Purpose Rolls / Pool Comfort Rolls

Sizes	Thickness
1 m x 9m	10 mm
1.94 m x 9 m	10 mm
1.52 m x 9 m	10 mm
1.5 m x 1.5 m	10 mm (Tailored Mat)

Multi-Purpose Rubber Rolls are designed for superior drainage and durability, making them ideal for wet or high-use areas. Commonly used around pool sides, in truck beds or van trailer floors, and along walkways, these rolls provide a slip-resistant, easy-to-clean surface that withstands heavy foot or equipment traffic.

TECHNICAL SPECIFICATION



Material Composition
A mix of natural rubber & recycled rubber.



Surface Finish
Flat Sport with Holes



Product Thickness
10 mm



Utility Area
Pool side, General pathways, Car trailers, Workplace area






OUR LOADING

 **RubbMat**
WHERE COMFORT REIGNS



 **RubbMat**
WHERE COMFORT REIGNS





1303, The Spire, Nr. Sheetal Park BRTS,
150 ft Ring Road, Rajkot - 360007 (Gujarat) India.

M : +91 - 98248 99971
+91 - 98248 99972

@ : sales@rubbmat.com
W : www.rubbmat.com



Product of India